

RESOURCE SOLUTIONS OF SF GROUP, INC

Safety Data Sheet SUPER Graffiti Remover, RSGGR32



SECTION 1: Identification

1.1 Product identifier:

Product name SUPER Graffiti Remover
Recommended Use: Soil Remover / Spotter

1.2 Supplier's details

Name Resource Solutions of SF Group, Inc
Address 100 Glenn Way, Suite No. 2
 San Carlos, CA 94070

Telephone 855-742-6100

1.3 Emergency phone number(s)

US, Canada: Chemtel 800-255-3924. International: +01-813-248-0585

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 2B
- Skin corrosion/irritation, Cat. 2
- Sensitization, skin, Cat. 1
- Flammable liquids, Cat. 3

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H226
H315
H317
H320

Flammable liquid and vapor
Causes skin irritation
May cause an allergic skin reaction
Causes eye irritation

SUPER Graffiti Remover RSGGR32

SAFETY DATA SHEET

Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/.../ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash exposed areas thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.

SECTION 3: Composition/information on ingredients

3.1 Mixtures

Hazardous components

1. Nonionic Surfactant

Concentration > 0 - < 5 % (weight)

- Eye damage/irritation, Cat. 2B

2. Acetone

Concentration > 0 - < 5 % (weight)

EC no. 200-662-2

CAS no. 67-64-1

Index no. 606-001-00-8

- Flammable liquids, Cat. 2
- Specific target organ toxicity (single exposure), Cat. 3
- Serious eye damage/eye irritation, Cat. 2

H225 Highly flammable liquid and vapor
H319 Causes serious eye irritation
H336 May cause drowsiness or dizziness

3. D-Limonene

Concentration > 0 - < 5 % (weight)

SUPER Graffiti Remover RSGGR32

SAFETY DATA SHEET

EC no. 227-813-5
CAS no. 5989-27-5

- Aspiration hazard, Cat. 1
- Flammable liquids, Cat. 3
- Hazardous to the aquatic environment - acute hazard, Cat. 1
- Hazardous to the aquatic environment - long-term hazard, Cat. 1
- Sensitization, skin, Cat. 1
- Skin corrosion/irritation, Cat. 2

H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.
In case of skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
In case of eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
If swallowed	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and

SUPER Graffiti Remover RSGGR32

SAFETY DATA SHEET

keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use dry chemical, CO₂, water spray (fog) or foam.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Absorb with an inert dry material and place in an appropriate waste disposal container.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from oxidizing materials

SECTION 8: Exposure controls/personal protection

SUPER Graffiti Remover RSGGR32

SAFETY DATA SHEET

8.1 Control parameters

1. Acetone (CAS: 67-64-1)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 2400 mg/m³ (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 500 ppm, (ST) 750 ppm, (C) 3000 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 250 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): 250 ppm, (ST) 500 ppm; USA (ACGIH)

OSHA Annotated Table Z-1, www.osha.gov

2. D-Limonene (CAS: 5989-27-5 EC: 227-813-5)

TLV® (Inhalation): 20 ppm (ACGIH)

8.2 Appropriate engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

Clear Liquid

SUPER Graffiti Remover RSGGR32

SAFETY DATA SHEET

Odor	Citrus
Odor threshold	No data available
pH	5.25-7.25
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	122F PMCC
Evaporation rate	No data available
Flammability (solid, gas)	Category 3 Flammable Liquid
Upper/lower flammability limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	0.99-1.02
Solubility(ies)	Water
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	As water
Explosive properties	No data available
Oxidizing properties	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Avoid all possible sources of ignition (spark or flame).

10.5 Incompatible materials

Oxidizing materials

SECTION 11: Toxicological information

Information on toxicological effects

Skin corrosion/irritation

May cause skin irritation if under prolonged contact

Serious eye damage/irritation

May cause eye irritation if under prolonged contact

Respiratory or skin sensitization

Contains sensitizers; may cause an allergic skin reaction

SECTION 12: Ecological information

SUPER Graffiti Remover RSGGR32

SAFETY DATA SHEET

Persistence and degradability

Biodegradable

SECTION 13: Disposal considerations

Disposal of the product

Disposal

of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal of contaminated packaging

Disposal

of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

SECTION 14: Transport information

DOT (US)

UN Number: Consumer Commodity LTD QTY/ >5.0 GAL: UN 1993 Flammable Liquid NOS (Solvent mixture), Class 3, PG III, LTD QTY

Class:

Packing Group:

Proper Shipping Name:

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

IMDG

UN Number: UN 1993

Class: 3

Packing Group: 3

EMS Number:

Proper Shipping Name: Flammable Liquid NOS (Solvent mixture)

IATA

UN Number: UN 1993

Class: 3

Packing Group: 3

Proper Shipping Name: Flammable Liquid NOS (Solvent mixture)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components

Chemical name: Acetone

CAS number: 67-64-1

New Jersey Right To Know Components

Common name: ACETONE

SUPER Graffiti Remover RSGGR32

SAFETY DATA SHEET

CAS number: 67-64-1

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

D-Limonene

Pennsylvania Right To Know Components

D-Limonene

New Jersey Right To Know Components

D-Limonene


California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

HMIS Rating

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

NFPA Rating



SECTION 16: Other information

This Safety Data Sheet is offered solely for your information, consideration and investigation. There are no warranties, either expressed or implied and no responsibility is assumed for the accuracy or completeness of the data contained herein.